



UsedDairyEquipment B.V.
Handelsweg 4
3411 NZ Lopik
Nederland
T: (+31) 348 460009
F: (+31) 348 460054
I: www.useddairyequipment.com
E: sales@useddairyequipment.com

OFFER: 25-45-01

Self-cleaning skimmer GEA Westfalia MSE 500-01-777



Recent picture of the separator in our workshop, in Lopik The Netherlands

Capacity: up to 50.000 liter per hour

BANK Rabobank Rijn en Heuvelrug, Zeist
IBAN NL90 RABO 0376 116 323
BTW NL8124.26.721.B.01

BIC RABONL2U
KvK Utrecht 30190319



UsedDairyEquipment B.V.
Handelsweg 4
3411 NZ Lopik
Nederland
T: (+31) 348 460009
F: (+31) 348 460054
I: www.useddairyequipment.com
E: sales@useddairyequipment.com

Complete Reconditioned self-cleaning milk - whey skimmer.

Make : GEA Westfalia
Type : MSE 500-01-177
Serial number : 1724 034
Capacity : 30.000 up to 50.000 liter per hour.
Product in : Milk, up to 4.8% fatt on input.
 Whey 0.3 % fatt on input.
Temperature : 52-60°C

Including:

- Fully mechanical reconditioned with 20 new discs in bowl.
- Motor - with temperature sensor.
- Pressure transmitter and CPM (constant pressure valve), pneumatic on outlet heavy phase/skim milk.
- Maneuvering water valves and constant water module OWM.
- Valves and piping for water.
- Steel base frame to be mounted in the concrete floor.
- Operation manual with spare parts catalogue.
- Warranty.

Price Basic machine and option (see below): On request

Options:

- a. Electronic pressure transmitter (make IFM) to control the CPM on outlet skim milk.
Flow transmitter (E&H) meter and automatic control valve for cream
To control the cream flow.
- b. New control panel
Stainless steel control box (Rittal) with Siemens S7-1200 PLC control of valves for manoeuvring water and communication with feed line through profinet or hard contacts.
Touch screen color operation panel Siemens


In program:

Times set bowl opening, flush and overflow.
Protections.
Failures list.

ampere meter and hours counter.

Control buttons: Start-stop-bypass-manual discharge-overflow time.

Frequency converter on Motor.




Picture of the control panel

- c. Tool trolley
 Function: for the well-organized storage of the separator tools set and prevent of damage to the delicate tools.
 Mobile
 Dimensions: Length: 1200, wide:750mm height: 1.300mm
 2 sides tool
 Rooms for storage of items.
 Adjustable for more or less tools.
 Box inside for the pressing tool
 Complete stainless steel (easy cleanable)



UsedDairyEquipment B.V.
Handelsweg 4
3411 NZ Lopik
Nederland
T: (+31) 348 460009
F: (+31) 348 460054
I: www.useddairyequipment.com
E: sales@useddairyequipment.com



Picture of the tool trolley.

- d. Product piping: by-pass valves Single seat valve and check valve
this valve is controlled by the controls of the separator

BANK Rabobank Rijn en Heuvelrug, Zeist
IBAN NL90 RABO 0376 116 323
BTW NL8124.26.721.B.01

BIC RABONL2U
KvK Utrecht 30190319



UsedDairyEquipment B.V.
Handelsweg 4
3411 NZ Lopik
Nederland
T: (+31) 348 460009
F: (+31) 348 460054
I: www.useddairyequipment.com
E: sales@useddairyequipment.com

CONDITIONS OF SALE

Shipment terms: FCA, Lopik, The Netherlands (Incoterms 2020)

Payment terms:

- 50% in advance with order
- 50% before transport after FAT in Lopik

Offer validity : 30 days from the date of this offer, subject unsold.

Delivery time : to be agreed.

Exclusions : Equipment location, water/electric systems aids, transport and unskilled work and anything else not mentioned in this offer.

Visits only possible if the safety and insurance of our staff can be guaranteed. In case of a negative travel recommendations of the Dutch government installation must be done remote.

* Warranty:

The reconditioned machines are guaranteed against failure of any mechanical part for 6 months after delivery or max 9 months after Suppliers notice to Customer that the machines are ready for transport in the workshop, whichever comes first.

Every right on this warranty is null and void in case of:

- No, bad or insufficient maintenance.
- Wrong or unprofessional use of the machinery.
- Any changes have been applied in the delivered machinery without prior permission from Supplier.

Normal wear and tear parts are excluded from warranty. New electrical equipment is covered by the manufacturer's guarantee

The warranty covers the costs of the part. Traveling and subsistence expenses for our engineers will be charged for.

Warranty parts will initially be sent and invoiced to Customer. This invoice will be credited when the faulty parts have been returned to Supplier and if the inspection at Supplier shows that the faulty parts are for the responsibility of the Supplier.

Once the machine has been commissioned and left running satisfactorily, further visits to the machine for adjustments and settings will be charged for.

Liability: In no event shall supplier be liable for any damages, losses or expenses (including without limitation direct indirect, special, punitive, incidental, consequential business interruption,, loss of profit or revenue), arising out of, or in connection with the use of the offered products
In addition also The General Terms and Conditions of Lekkerkerker Dairy & Food Equipment, filed with the Chamber of Commerce in Utrecht, apply to all our quotations and order confirmations. They can be consulted on our website: <https://lekkerkerkerequipment.com/home/terms-and-conditions>.